Guide to the 2021 Building Energy Performance Standards

Version 1.0

1-5-2021

Table of Contents

List of Tables	3
List of Figures	4
Chapter 1 – Introduction	5
Chapter 2 – Property Type Groups	7
Chapter 3 – Metrics	
Chapter 4 – Calculation of Building Energy Performance Standards for Period 1	8
4.1 – 2021 Standards for BEPS Period 1	8
4.2 – Standards for Hospitals and University Campuses	8
Appendices	
Appendix A – Method for Establishment of Standards	
Appendix B – Method for Grouping Property Types	
Appendix C – Method for Establishment of College and University Standards .	
Appendix D – Acronyms	

List of Tables

- Table 1 Primary Data Filters (Based on Disclosure Fields)

- Table 2 Property Type Groupings

 Table 3 Property Groups and Median Types

 Table 4 College and University Adjustment Factors for High-intensity Space

List of Figures

 $\begin{array}{l} Figure \ 1-Standard \ Evaluation \ Process \\ Figure \ 2-BEPS \ Applicability \end{array}$


Chapter 1 – Introduction

Title III of the <u>Clean Energy DC Omnibus Amendment Act of 2018</u> (CEDC Act) created the Building Energy Performance Standards (BEPS or Standard/s) Program. The CEDC Act requires that Standards be established for various property types to set a minimum threshold of energy performance that will be no lower than the District median score by property type (or equivalent metric). The purpose of the BEPS Program is to drive energy performance in existing buildings to help meet the energy and climate goals of the <u>Sustainable DC</u> plan — to reduce the District's greenhouse gas emissions and energy consumption by 50% by 2032.

The Department of Energy and Environment is required to establish Standards every six (6) years, creating BEPS Periods (BEPS Period 1, BEPS Period 2, etc.). DOEE and building owners measure whether a building meets Standards through the District's Energy Benchmarking program. Buildings that do not meet the Standards for a BEPS Period will be placed in a five-year Compliance Cycle (Figure 1). The building owner will have until the end of the Cycle for the building to meet energy performance requirements following one of the available Compliance Pathways, as outlined in the BEPS regulations. Additional guidance for Compliance Pathways can be found in the BEPS Compliance Guidebook, is available on DOEE's website.

The 2021 Standards for BEPS Period 1 (2021 BEPS) can be found in 20 DCMR 3530.

Figure 1 – Standard Evaluation Process




The 2021 BEPS will apply to all privately-owned buildings with at least 50,000 square feet of Gross Floor Area (GFA) and all District-owned or District instrumentality-owned buildings with at least 10,000 square feet of GFA.

BEPS Period 1 has the same square footage threshold requirements as the current Energy Benchmarking thresholds. Therefore, buildings required to benchmark in calendar year (CY) 2019 will be subject to the 2021 BEPS. If a building subject to the 2021 BEPS does not have a complete and accurate 2019 District Benchmark Results and Compliance Report on file, DOEE will assume that the building does not meet the Standard for BEPS Period 1.

Under the BEPS Program, square footage requirements decrease with each BEPS Period. Buildings will be required to meet the BEPS in the following Periods; eventually all buildings 10,000 square feet or more will be required to meet the Standards (Figure 2).

Figure 2 – BEPS Applicability



After stakeholder input and review of data, DOEE established the property type groups, metrics, and 2021 BEPS. DOEE has also set forth special considerations for hospital and post-secondary educational institutions in the District. For BEPS Period 1, DOEE calculated the Standards using CY2019 benchmarking data. The data used to calculate the Standards comes from the Benchmarking Public Disclosure. Detailed filters and methods for calculating the Standards are listed in Appendix A.

These program decisions were made with input from the BEPS Task Force. To see a full list of the Task Force recommendations, please see the <u>BEPS Task Force Recommendations for Rulemaking</u> report available on DOEE's website.

Chapter 2 – Property Type Groups

Standards are established by Primary Property Type as identified by the United States Environmental Protection Agency's (U.S. EPA) ENERGY STAR Portfolio Manager. Portfolio Manager uses the same method for calculating energy performance metrics for similar property types. For example, the ENERGY STAR Scores for Bank Branches, Financial Offices, Courthouses, and Offices are calculated using the same formula. Likewise, the ENERGY STAR Scores for Non-Refrigerated Warehouses and Distribution Centers are calculated using the same formula.

To ensure the Standard is as accurate as possible, DOEE uses data from all property types within a group to calculate one Standard for the group. Therefore, each property type within a group will have the same Standard. For example, Bank Branches, Financial Offices, Courthouses, and Offices all belong to the same group and have the same Standard. For a detailed list on how property types are grouped, and the metrics used, see Appendix B.

Chapter 3 – Metrics

The BEPS Program utilizes multiple metrics to evaluate energy performance. The CEDC Act requires that the Standards be measured by a building's ENERGY STAR Score (Score) or an equivalent metric for property types that cannot receive a Score. DOEE has determined that, as the Score is a source energy metric, the equivalent metric for most property types is Weather-Normalized Source Energy Use Intensity (Normalized Source EUI). Normalized Source EUI measures a building's total annual energy consumption divided by square feet, or for some property types, it measures total annual energy consumption divided by gallons per day. Because the national median cannot be weather-normalized, DOEE will use Source EUI as the metric for property type groups using the national median for their Standard (see Chapter 4).

The Score is a 1-100 percentile-based rating of a building's energy performance compared to the national body of similar buildings. For example, buildings with a Score of 50 perform better than 50% of their peers nationwide. The Score is designed to evaluate whole building energy performance, reflect actual metered energy use, equitably account for all fuel sources, normalize for building activity, and provide a peer group comparison. Source energy represents the total energy demand of a building traced back to the raw fuel input, accounting for any losses in production, transmission, and distribution. For more information on the ENERGY STAR Score and source energy, please refer to the following U.S. EPA technical reference documents:

• ENERGY STAR Score:

https://portfoliomanager.energystar.gov/pdf/reference/ENERGY%20STAR%20Score.pdf Score technical references for each property type: https://www.energystar.gov/buildings/facility-owners-and-managers/existing-buildings/use-portfolio-manager/understand-metrics/energy-star

• Source Energy: https://portfoliomanager.energystar.gov/pdf/reference/Source%20Energy.pdf If U.S. EPA updates or changes its ENERGY STAR metrics during the BEPS Period, DOEE will not reassess the BEPS or its determinations of whether a building meets the BEPS based on the revised U.S. EPA metrics.

Chapter 4 – Calculation of Building Energy Performance Standards for Period 1

The 2021 BEPS are established in 20 DCMR 3530. The Standards, which are effective on January 1, 2021, are based primarily on the District of Columbia (local) median for each property type. As discussed below, for property type groups with fewer than 10 buildings in the District, the Standards are based on the national median.

4.1 – 2021 Standards for BEPS Period 1

The data used to calculate the 2021 BEPS comes from the Benchmarking Public Disclosure as of December 2, 2020. A copy of the disclosure from that day can be found on DOEE's website. The 2021 BEPS were calculated by identifying the local median Score or Normalized Source EUI for each property type using CY2019 benchmarking data. For property type groups with fewer than 10 buildings, there is not a sufficiently robust local dataset to derive an appropriate local median. Therefore, the Standards for those property types is based on the national median and just Source EUI. Detailed filters and methods for calculating the Standards can be found in Appendix A. Additionally, Appendix B describes which property types use the local median (Score or Normalized Source EUI) and which property types use the national median (Source EUI).

4.2 – 2021 Standards for Hospitals and University Campuses

Due to specific language in the CEDC Act listed below, DOEE engaged with representatives from the hospital sector and post-secondary educational institutions (Colleges/Universities) in 2019 and 2020 to gain feedback on how to establish the Standards. Recommendations were then discussed with the BEPS Task Force, which voiced its approval of the final structure.

The CEDC Act states:

DOEE shall establish campus-wide energy performance standards for post-secondary educational institutions and hospitals with multiple buildings in a single location that are owned by a single entity. In establishing specific performance standards, DOEE shall consider:

- a) The existence of any historic buildings and any restrictions related to the treatment of historic buildings or districts;
- b) The diversity of building uses and requirements for the campus and its operations; and
- c) The impact on any zoning regulation or campus plan requirement.

Through discussions with representatives from the Hospitals and College/University campuses DOEE determined that the establishment of the BEPS is not significantly impacted by the existence of historic buildings, zoning regulations or campus plan requirements. As a result, DOEE only accounted for the diversity of building uses in the establishment the BEPS for these campuses. However, DOEE recognizes that all three of these factors could impact how campuses comply with the energy performance requirements of the BEPS Program. Thus, DOEE has built in flexibility into the Compliance Pathways available to campuses. More information about these pathways can be found in 20 DCMR 3518 and the BEPS Compliance Guidebook, both of which can be found on DOEE's website.

For hospitals, it was necessary to establish Standards using two types of metrics: one for hospitals that can receive a Score and one for hospitals that cannot. For those hospitals that cannot receive a Score, DOEE used Source EUI as the equivalent metric. In both cases, the Standard was set at the national median rather than the local. This was necessary given that there were too few hospitals in the District to establish an appropriate local median.

For the College/University Campus property type, there is no Score available. After lengthy discussion with the Consortium of Universities of the Washington Metropolitan Area, it was agreed that Source EUI is not an adequate equivalent metric because it does not account for the diverse property type uses that might be present on a university campus (e.g. laboratories, dorms, dining halls, offices, restaurants). Additionally, using the national or local median metrics would not serve as a fair or accurate comparison for energy performance due to the differences between the District's local institutions. As a result, DOEE developed customized Standards for the College/University Campus property type using the local median Source EUI adjusted for the square footage percentage of high-intensity space present on each a campus. A detailed methodology for calculating these custom Standards can be found in Appendix C.

Appendices

Appendix A – Method for Establishment of Standards

All Standards were calculated using the District's <u>Benchmarking Public Disclosure</u> for calendar year 2019 (CY2019). The data used to calculate the 2021 BEPS comes from the <u>Benchmarking Public Disclosure</u> as of December 2, 2020. A copy of the disclosure from that day can be found on <u>DOEE's website</u>. A list of data filters can be found in Table 1. For Property Types that use the National Median as their Standard, DOEE pulled relevant EUI numbers from U.S. EPA's U.S. National Median Technical Reference.

Methodology:

- 1. Start with the Benchmarking Public Disclosure dataset.
- 2. Assigned property type groups to each record found in Appendix B.
- 3. For ENERGY STAR Score local median:
 - a. Filter dataset for the desired year.
 - b. Remove property types that cannot receive a Score.
 - c. Group dataset by property type.
 - d. Apply primary data filters for each property type.
 - e. Calculate the Score for each property type group.
- 4. For median Source EUI figures:
 - a. Filter dataset for the desired year.
 - b. Group dataset by property type.
 - c. Apply primary data filters for each property type group.
 - d. Calculate the EUI values for each property type group.

Table 1 – Primary Data Filters (Based on Disclosure Fields)

Filter Name	Field	Filter Description
Is Compliant?	REPORTSTATUS	Remove all observations without the value "In Compliance" or "Data Under Review by DOEE"
Filter out non- standard setting years	REPORTINGYEAR	Must equal 2019
Has Electricity Consumption data	ELECTRICITYUSE_ KWH	Remove all observations equal to 0 or blank
Has a Weather Normalized Site EUI	WEATHERNORMAL IZEDSITEEUI_KBT UFT	Remove all observations equal to 0 or blank
Is a standalone property or is the parent property for a campus	PARENTPROPERTY ID	Remove all observations where PARENTPROPERTYID does not equal PMPROPERTYID or PARENTPROPERTYID does not equal "Not Applicable: Standalone Property"
Outliers	WEATHERNORMAL IZEDSITEEUI_KBT UFT	By property type: Remove observations outside of 2 standard deviations from the mean of the natural log of WEATHERNORMALIZEDSITEEUI_KBTU FT

Appendix B – Method for Grouping Property Types

DOEE created a property type grouping scheme based initially on a property's primary property type in Portfolio Manager, and then on whether they can receive the ENERGY STAR Score. Table 2 lists the property type groupings and Table 3 lists the type of median used by the property type group.

• Methodology:

- Level 1 Buildings are grouped by their "Primary Property" type from ENERGY STAR Portfolio Manager
- Level 2 Buildings that can receive the Score are grouped by their same "ENERGY STAR Scoring Model"
- Level 3 Buildings that cannot receive the Score are grouped by their "National Median Reference Type"

Table 2 – Property Type Groupings

Portfolio Manager Property Type	BEPS Property Type Group	
Residential Care Facility	ALFA/Industry Survey	
Bar/Nightclub	Bar/Nightclub	
Veterinary Office	Clinic/other outpatient health	
College/University	College/University	
Data Center	Data Center	
Adult Education		
Other - Education	Education	
Vocational School		
Enclosed Mall	Enclosed mall	
Fast Food Restaurant	Fast food	
Fire Station	Fire station/police station	
Police Station	Fire station/police station	
Convenience Store with Gas Station		
Convenience Store without Gas Station	Food sales	
Food Sales		
Food Service	Food service	
Ambulatory Surgical Center		
Hospital (General Medical & Surgical)		
Other - Specialty Hospital	Hospital/Healthcare	
Outpatient Rehabilitation/Physical Therapy		
Urgent Care/Clinic/Other Outpatient		
Hotel	Hotel	
K-12 School	K-12 School	
Laboratory	Laboratory	
Library	Library	
Other - Lodging/Residential	Lodging	
Other - Mall	Mall	

Medical Office	Medical Office		
Multifamily Housing	Multifamily Housing		
Self-Storage Facility	Nonrefrigerated warehouse (Self-Storage Facility)		
Distribution Center	N. D.C. (1777 1 /D.C.)		
Non-Refrigerated Warehouse	Non-Refrigerated Warehouse/Distribution		
Refrigerated Warehouse	Center/Refrigerated Warehouse		
Bank Branch			
Courthouse	OCC. /D 1/E; :10CC. /C :1		
Financial Office	Office/Bank/Financial Office/Courthouse		
Office			
Energy/Power Station			
Mixed Use Property			
Other			
Other - Public Services	Other		
Other - Technology/Science			
Other - Utility			
Pre-school/Daycare	Preschool/daycare		
Aquarium	,		
Casino			
Indoor Arena			
Movie Theater			
Museum			
Other - Entertainment/Public Assembly			
Other - Stadium	Public assembly		
Performing Arts			
Race Track			
Stadium (Closed)			
Stadium (Open)			
Transportation Terminal/Station			
Zoo			
Prison/Incarceration	Public order and safety		
Bowling Alley			
Fitness Center/Health Club/Gym			
Ice/Curling Rink	D		
Other - Recreation	Recreation		
Roller Rink			
Swimming Pool			
Barracks	D11 H-11/D '/ /D 1		
Residence Hall/Dormitory	Residence Hall/Dormitory/Barracks		
Other - Restaurant/Bar	Destace at least of		
Restaurant	Restaurant/cafeteria		
Automobile Dealership	Retail other than mall		

Retail Store	Datail Ctour W/halasala	
Supermarket/Grocery Store	Retail Store/Wholesale	
Wholesale Club/Supercenter	Club/Supercenter/Supermarket/Grocery Store	
Senior Care Community	Senior Care Community	
Mailing Center/Post Office		
Other - Services	Service	
Personal Services (Health/Beauty, Dry		
Cleaning, etc.)		
Repair Services (Vehicle, Shoe, Locksmith,		
etc.)		
Convention Center	Social/meeting	
Social/Meeting Hall	Social/incetting	
Lifestyle Center	Strin shonning mall	
Strip Mall	Strip shopping mall	
Wastewater Treatment Plant	Wastewater/Drinking Water Treatment Plant	
Drinking Water Treatment & Distribution	Water (Energy per flow)	
Worship Facility	Worship Facility	

Table 3 – Property Groups and Median Types

BEPS Property Type Group ¹	# of Buildings	Median Type
Education ²	6	National
Enclosed mall ²	2	National
Fire station/police station	35	Local
Hotel	97	Local
K-12 School	138	Local
Library	16	Local
Lodging ²	9	National
Medical Office	10	Local
Multifamily Housing	647	Local
Nonrefrigerated warehouse (Self-Storage Facility)	13	Local
Non-Refrigerated Warehouse/Distribution		
Center/Refrigerated Warehouse	21	Local
Office/Bank/Financial Office/Courthouse	488	Local
Other	45	Local
Public assembly	10	Local
Recreation	32	Local
Residence Hall/Dormitory/Barracks	15	Local
Retail Store/Wholesale		
Club/Supercenter/Supermarket/Grocery Store	18	Local
Senior Care Community ²	8	National
Service	14	Local
Social/meeting	15	Local
Strip shopping mall ²	6	National

Water (Energy per flow) ²	2	National
Worship Facility	15	Local

¹ Some BEPS Property Type Groups are not listed here because there are not buildings that fall within those groups in the District benchmarking data. DOEE is still establishing standards for all property types to ensure every property over 50,000 square feet has a standard.

² National Median ENERGY STAR Score and/or Source EUI were used as there is no appropriate District median

given the small number of buildings in the District of this particular property type.

Appendix C – Method for Establishment of College and University Standards

All Standards were calculated using the District's energy benchmarking data for CY2019; however, the square footage assigned to each property use type used to account for high-intensity spaces are not part of the Benchmarking Public Disclosure. For more information on the metrics used to adjust for high-intensity property types, contact DOEE. Adjustment values were determined based on the same methods and filters as the Standards. The adjustment factors can be found in Table 4.

Methodology:

- 1. Calculate the square foot percentage (or "percent breakdown") of each property use type compared to total campus GFA. (GFA of a property use type / total GFA = "percent breakdown")
- 2. For all high-intensity spaces, multiply the "percent breakdown" by the appropriate adjustment factor to get the adjusted Source EUI value for that space type.
- 3. Sum all adjusted Source EUI values for each high-intensity space to get the adjusted Source EUI value for high-intensity space.
- 4. For all non-high-intensity spaces, sum the percent breakdown and multiply it by the College and University Adjustment Factor to get the adjusted Source EUI value for non-high-intensity space.
- 5. Sum the Blended Custom Source EUI value for high-intensity space and the Blended Custom Source EUI value for non-high intensity space to get the final custom Standard for the College and University Campus.

Table 4 – College and University Adjustment Factors for High-intensity Space

	Source EUI of Adjustment Factor	
Space Type	Factor	Source ¹
Aquarium	240.2	Local 2019 Median
Bank Branch	209.9	National Median
Bar/Nightclub	297	National Median
Bowling Alley	206.6	Local 2019 Median
Casino	240.2	Local 2019 Median
College/University	180.6	National Median
Convenience Store with Gas Station	592.6	National Median
Convenience Store without Gas Station	592.6	National Median
Convention Center	192	Local 2019 Median
Courthouse	211.4	National Median
		US EPA Data Center
Data Center	2000	Estimate ²
Energy/Power Station	229.4	Local 2019 Median
Fast Food Restaurant	886.4	National Median
Fire Station	185.5	Local 2019 Median
Fitness Center/Health Club/Gym	206.6	Local 2019 Median
Food Sales	592.6	National Median
Food Service	527.7	National Median

Hospital (General Medical & Surgical)	426.9	National Median
Hotel	183.9	Local 2019 Median
Ice/Curling Rink	206.6	Local 2019 Median
Laboratory	601	Lab Benchmarking Tool ³
Library	206.4	Local 2019 Median
Lifestyle Center	228.8	National Median
Mailing Center/Post Office	242.6	Local 2019 Median
Mixed Use Property	229.4	Local 2019 Median
Movie Theater	240.2	Local 2019 Median
Museum	240.2	Local 2019 Median
Other	229.4	Local 2019 Median
Other - Entertainment/Public Assembly	240.2	Local 2019 Median
Other - Mall	225.3	National Median
Other - Public Services	229.4	Local 2019 Median
Other - Recreation	206.6	Local 2019 Median
Other - Restaurant/Bar	573.7	National Median
Other - Services	242.6	Local 2019 Median
Other - Specialty Hospital	433.9	National Median
Other - Stadium	240.2	Local 2019 Median
Other - Technology/Science	229.4	Local 2019 Median
Other - Utility	229.4	Local 2019 Median
Performing Arts	240.2	Local 2019 Median
Personal Services (Health/Beauty, Dry		
Cleaning, etc.)	242.6	Local 2019 Median
Police Station	185.5	Local 2019 Median
Race Track	240.2	Local 2019 Median
Refrigerated Warehouse	235.6	National Median
Residential Care Facility	213.2	National Median
Restaurant	573.7	National Median
Retail Store	401.2	Local 2019 Median
Roller Rink	206.6	Local 2019 Median
Senior Care Community	213.2	National Median
Stadium (Closed)	240.2	Local 2019 Median
Stadium (Open)	240.2	Local 2019 Median
Strip Mall	228.8	National Median
Supermarket/Grocery Store	401.2	Local 2019 Median
Transportation Terminal/Station	240.2	Local 2019 Median
Wholesale Club/Supercenter	401.2	Local 2019 Median
Zoo	240.2	Local 2019 Median
All FIII values are kRtu/ft ²		

¹All EUI values are kBtu/ft²
² For more information on the U.S. EPA data center estimate please see this <u>technical reference guide</u>.
³ This value was determined by calculating the median of peer labs in LNBL's Lab Benchmarking Tool. The exact data was pulled on December 3, 2020. A copy of the data from that day can be found on <u>this page</u>.

Appendix D – Acronyms

BEPS – Building Energy Performance Standards

CEDC Act – Clean Energy DC Omnibus Amendment Act of 2018

CY – Calendar year

DOEE – Department of Energy and Environment

EUI – Energy use intensity

GFA – Gross floor area

PUE - Power use effectiveness

U.S. EPA – United States Environmental Protection Agency